

## Passenger Cars Motor Oils



**GT Synth Hi Power Pro 5W30**  
 ACEA C3  
 API SN  
 BMW Longlife-04  
 MB 229.31/229.51  
 Porsche C30  
 VW 504.00/507.00  
 Part no: 80.17



**GT Synth Hi Power Pro 10W40**  
 API SN/CF  
 ACEA A3/B4  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 80.04



**GT Synth Hi Power Pro 5W40**  
 ACEA C3  
 API SN  
 BMW Longlife-04  
 MB 229.51  
 VW 505.01  
 Part no: 80.06



**GT Synth Hi Power Pro 10W40**  
 API SL/CF  
 ACEA A3/B4  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 80.13



**GT Synth Hi Power Pro 5W30**  
 ACEA C3  
 API SN  
 BMW Longlife-04  
 MB 229.31/229.51  
 Porsche C30  
 VW 504.00/507.00  
 Part no: 80.10



**GT Synth Hi Power Pro 5W30**  
 ACEA C2, C3  
 API SN  
 BMW Longlife-04  
 GM dexos 2  
 MB 229.51/229.52  
 Porsche C30 VW 505.01  
 Part no: 80.09



**GT Synth Hi Power Pro 10W40**  
 ACEA A3/B4  
 API SN/CF  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 80.15



**GT Synth Hi Power Pro 5W40**  
 ACEA C3  
 API SN  
 BMW Longlife-04  
 MB 229.51  
 VW 505.01  
 Part no: 80.16



**GT Synth IQ Formula 10W40**  
 ACEA A3/B4  
 API SL/CF  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 06.30



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Passenger Cars Motor Oils



**S High Performance Intelligence SAE 30**  
 API SF/CC  
 CCMC G2/D1  
 MIL-L-46152B/C  
 Ford M2C153-C (SF/CC)  
 Ford M2C9011-A GM 6085M  
 Part no: 03.03



**S High Performance Intelligence SAE 40**  
 API SF/CC  
 CCMC G2/D1  
 MIL-L-46152B/C  
 Ford M2C153-C (SF/CC)  
 Ford M2C9011-A  
 GM 6085M  
 Part no: 03.04



**S High Performance Intelligence SAE 50**  
 API SF/CC  
 CCMC G2/D1  
 MIL-L-46152B/C  
 Ford M2C153-C (SF/CC)  
 Ford M2C9011-A  
 GM 6085M  
 Part no: 03.05



**GT Arctic Synth IQ Formula Synthetic 0W20**  
 ACEA A1/B1 API SH/CF  
 API SN/CF \*)  
 \*) API SN quality only; not-licensable due to phosphorus-limit  
 Part no: 06.53



**GT Synth IQ Formula 10W40**  
 ACEA A3/B4  
 API SN/CF  
 MB 229.3  
 Renault RN0700  
 VW 505.00  
 Part no: 06.96



**GT Synth IQ Formula SN/CF 10W40**  
 ACEA A3/B4  
 API SN/CF  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 06.90



**GT Synth IQ Formula VW 0W30**  
 Performance level  
 VW 503.00/506.00/506.01  
 Part no: 06.22



**GT Synth IQ Formula 0W40**  
 ACEA A3/B4 API SN/CF  
 BMW Longlife-01  
 MB 229.3/226.5  
 Porsche A40  
 Renault RN0700/RN0710  
 VW 502.00/505.00  
 Part no: 06.38



**GT Synth IQ Formula 0W40** ACEA A3/B4 API SN  
 MB-Approval 229.5  
 Meets the requirements of BMW Longlife-01  
 Ford WSS-M2C937-A  
 MB 229.3; Porsche A40  
 Renault RN0700/RN0710  
 VW 502.00/505.00  
 Part no: 06.78



## Passenger Cars Motor Oils



### GT Synth IQ Formula C2 5W30

ACEA **C2**  
API SN/CF  
Fiat 9.55535-S1  
Renault RN0700  
Part no: 06.23



### GT Synth IQ Formula C1 5W30

ACEA **C1**  
Meets the requirements of Jaguar Land Rover  
STJLR.03.5005  
Part no: 06.24



### GT Synth IQ Formula C4 5W30

ACEA **C3, C4**  
MB-Approval 229.51  
Renault RN0720  
Meets the requirements of  
MB 226.51  
Part no: 06.34



### GT Synth IQ Formula NF 5W30

ACEA **C3** API SP; Approved  
under VW 504.00/507.00  
MB-Approval 229.31/229.51  
BMW Longlife-04; Porsche C30  
Meets the requirements of:  
MB 229.52  
Part no: 06.56



### GT Synth IQ Formula VW 0W30

ACEA **C3**  
Approved under VW 504.00/507.00  
Meets the requirements of  
Porsche C30  
Part no: 06.44



### GT Synth IQ Formula 0W20

ACEA **C5**  
API SN, API SN Plus  
Approved under VW 508.00/509.00  
Meets the requirements of: Porsche C20  
Part no: 06.98



### GT Synth IQ Formula 5W30

ACEA **C3**  
API SP  
BMW Longlife-04  
MB 229.31/229.51/229.52  
Porsche C30  
VW 504.00/507.00  
Part no: 06.59



### GT Synth IQ Formula 5W30

ACEA A3/B4  
API SL/CF  
MB 229.1  
VW 501.01/505.00  
Part no: 06.94



### GT Synth IQ Formula 5W40

ACEA A3/B4  
API SN/CF  
MB 229.1  
VW 501.01/505.00  
Part no: 06.95



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Passenger Cars Motor Oils



### GT Synth IQ Formula 5W30

ACEA A5/B5, A1/B1  
API SL/CF  
Meets the requirements of  
Ford WSS-M2C913-D  
Renault RN0700  
Jaguar Land Rover STJLR.03.5003  
Part no: 06.55



### GT Synth IQ Formula 0W30

ACEA A3/B4 API SH/CF  
BMW Longlife-01; MB 229.3/226.5  
Renault RN0700  
VW 502.00/505.00; API SN/CF \*)  
\*) API SN quality only;  
not-licensable due to phosphorus-limit  
Part no: 06.68



### GT Synth IQ Formula 5W30

ACEA A3/B4; API SH/CF  
BMW Longlife-01; MB 229.3/226.5  
Renault RN0700  
VW 502.00/505.00; API SN/CF \*)  
\*) API SN quality only; not-licensable  
due to phosphorus-limit  
Part no: 06.21



### GT Synth IQ Formula 5W50

ACEA A3/B4  
API SN/CF  
MB 229.3  
Porsche A40  
VW 502.00/505.00  
Part no: 06.31



### GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF  
BMW Longlife-01  
Fiat 9.55535-M2  
GM LL-B-025; MB 229.3/226.5  
Porsche A40  
Renault RN0700/RN0710  
VW 502.00/505.00  
Part no: 06.42



### GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF  
Approved under VW 502.00/505.00  
MB-Approval 229.3; Porsche A40  
Meets the requirements of  
BMW Longlife-01; Renault RN0700/RN0710;  
GM LL-B-025, MB 226.5  
Fiat 9.55535-M2  
Part no: 06.20



### GT Synth IQ Formula 10W30

ACEA A3/B4; API SH/CF  
VW 502.00/505.00  
API SN/CF \*)  
\*) API SN quality only;  
not-licensable due to  
phosphorus-limit  
Part no: 06.84



### GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF;  
MB-Approval 229.3/229.5;  
Meets the requirements of:  
BMW Longlife-01  
VW 502.00/505.00/501.01  
Porsche A40 Renault RN0700/RN0710  
Opel GM-LL-B-025 PSA B71 2296  
MB 226.5  
Part no: 06.75



### GT Synth IQ Formula 0W30

ACEA A5/B5  
API SL  
Meets the requirements of  
Volvo VCC 95200377  
Part no: 06.52





**GT Synth IQ Formula 0W20**  
**ACEA C5,**  
**API SN**  
 Volvo VCC RBS0-2AE  
 Part no: 06.89



**GT Synth IQ Formula NF 0W16**  
**API SP Resource Conserving**  
**ILSAC GF-6B**  
 Part no: 06.88



**GT Synth IQ Formula 0W30**  
**Performance level**  
**ACEA C2, A5/B5**  
**API SP**  
 Part no: 06.51



**GT Synth IQ Formula 0W30**  
**BMW Longlife-12 FE**  
 Part no: 06.99



**GT Synth IQ Formula 0W30**  
**ACEA C2**  
 Ford WSS-M2C950-A  
 Meets the requirements of:  
 Jaguar Land Rover STJLR.03.5007  
 Part no: 06.05



**GT Synth IQ Formula 0W30**  
**ACEA C3**  
 Meets the requirements of:  
 BMW Longlife-04  
 MB 229.51  
 Part no: 06.92



**GT Synth IQ Formula 5W20**  
**ACEA C5**  
**API SP**  
 Ford WSS-M2C948-B  
 Meets the requirements of Jaguar Land Rover  
 STJLR.03.5004  
 Part no: 06.67



**GT Synth IQ Formula PSA 0W30**  
**ACEA C2**  
 PSA B71 2312  
 Part no: 06.77



**GT Synth IQ Formula 0W40**  
**ACEA C3**  
**API SN/CF**  
 BMW Longlife-04  
 GM dexos 2  
 MB 229.31/229.51  
 Part no: 06.79





## Passenger Cars Motor Oils



**GT Synth IQ Formula 10W30**  
 ACEA A3/B3  
 API SL/CF  
 Part no: 06.37



**GT Synth IQ Formula 5W30**  
 ACEA C2  
 Meets the requirements of  
 PSA B71 2290  
 Part no: 06.83



**GT Synth IQ Formula 5W30**  
 ACEA C2, C3  
 API SN BMW Longlife-04  
 MB-Approval 229.31/229.51/229.52  
 Approved under VW 505.00/505.01  
 Meets the requirements of:  
 GM dexos 2 Opel OV0401547  
 Part no: 06.74



**GT Synth IQ Formula 5W40 NF**  
 ACEA C3  
 API SN, API SN Plus  
 BMW Longlife-04  
 MB-Approval 229.51  
 Meets the requirements of:  
 MB 229.31/229.52  
 VW 505.00/505.01  
 Part no: 06.04



**GT Synth IQ Formula NF 5W30**  
 ACEA C3  
 API SN, API SN Plus  
 BMW Longlife-04  
 GM dexos 2  
 MB 229.31/229.51/229.52  
 Opel OV0401547  
 VW 505.00/505.01  
 Part no: 06.61



**GT Synth IQ Formula 5W30**  
 ACEA C3 API SN, API SN Plus MB-Approval  
 229.31/229.51/229.52  
 BMW Longlife-04  
 Meets the requirements of:  
 GM dexos 2; Opel OV0401547  
 VW 505.00/505.01  
 Part no: 06.54



**GT Synth IQ Formula 5W40**  
 ACEA C3  
 API SN, API SN Plus  
 BMW Longlife-04  
 MB 229.51/229.52  
 VW 505.00/505.01  
 Part no: 06.62



**GT Synth IQ Formula 5W30**  
 ACEA C3  
 API SN, API SN Plus  
 BMW Longlife-04  
 GM dexos 2; MB 229.31  
 /229.51/229.52  
 Opel OV0401547  
 VW 505.00/505.01  
 Part no: 06.85



**GT Synth IQ Formula 5W40**  
 ACEA C3  
 API SN/CF; BMW Longlife-04  
 Fiat 9.55535-S2  
 Ford WSS-M2C917-A  
 GM dexos 2; MB 229.31  
 /226.5; Porsche A40  
 Renault RN0700/RN0710  
 VW 505.00/505.01  
 Part no: 06.64



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Passenger Cars Motor Oils



**GT Synth IQ Formula 10W60**  
 ACEA C3  
 API SN/CF  
 Part no: 06.66



**GT Synth IQ Formula 0W20**  
 API SP Resource Conserving ILSAC GF-6A  
 Meets the requirements of: GM dexos1 (TM) Gen 2  
 Chrysler MS 6395  
 Ford WSS-M2C947-A/B1 / WSS-M2C962-A1  
 Part no: 06.09



**GT Synth IQ Formula 5W20**  
 API SP Resource Conserving ILSAC GF-6A  
 Meets the requirements of: GM dexos1 (TM) Gen 2  
 Chrysler MS 6395  
 Ford WSS-M2C945-A/B1 / WSS-M2C960-A1  
 Part no: 06.08



**GT Fully Synthetic IQ Formula 5W50**  
 ACEA A3/B4; API SN/CF  
 MB 229.3; Porsche A40  
 VW 502.00/505.00  
 Part no: 06.12



**GT Synth IQ Formula 0W30** ACEA A3/B4; API SH/CF; BMW Longlife-01  
 MB 229.3/226.5; Renault RN0700; VW 502.00/505.00  
 API SN/CF \*)  
 \*) API SN quality only; not-licensable due to phosphorus-limit  
 Part no: 06.50



**GT Synth IQ Formula 5W30**  
 API SP Resource Conserving ILSAC GF-6A  
 GM dexos1 (TM) Gen 2  
 Meets the requirements of: Chrysler MS 6395  
 Ford WSS-M2C946-A/B1 / WSS-M2C961-A1  
 Part no: 06.07



**GT Fully Synthetic IQ Formula 10W60**  
 ACEA A3/B4  
 API SN/CF  
 Part no: 06.16



**GT Synth IQ Formula 10W40**  
 ACEA A3/B3, A3/B4-08  
 API SL/CF  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 06.02



**HD Fleet 70 5W30**  
 API CH-4  
 Part no: 07.13



## Passenger Cars Motor Oils



**GT Synth IQ Formula 15W40**  
API SF/CC  
CCMC G2/D1  
Part no: 04.03



**GT Synth IQ Formula 15W50**  
API SF/CC  
CCMC G2/D1  
Part no: 04.04



**GT Synth IQ Formula 20W50**  
API SF/CC  
CCMC G2/D1  
Part no: 04.05



**GT Synth IQ Formula 10W30**  
ACEA A3/B3  
API SL/CF  
MB 229.1  
API SM/CF \*)  
\*) API SM quality only; not-licensable due to phosphorus-limit  
Part no: 06.49



**GT Synth IQ Formula 5W30**  
ACEA A5/B5  
API SL/CF  
Ford WSS-M2C913-A/B  
Part no: 06.60



**GT Synth IQ Formula 15W40**  
ACEA A3/B4  
API SL/CF  
Meets the requirements of: MB 229.1  
VW 501.01/505.00  
Part no: 05.01



**GT Synth IQ Formula 10W40**  
ACEA A3/B3, A3/B4-08  
API SL/CF  
MB 229.1  
VW 501.01/505.00  
Part no: 06.02



**GT Synth IQ Formula 5W50**  
ACEA A3/B4  
API SN/CF  
MB 229.3  
Porsche A40  
VW 502.00/505.00  
Part no: 06.87



**GT Synth IQ Formula 0W40**  
ACEA A3/B4  
API SN/CF  
BMW Longlife-01  
MB 229.3/226.5  
Porsche A40  
Renault RN0700/RN0710  
VW 502.00/505.00  
Part no: 02.01



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Passenger Cars Motor Oils



### GT Synth IQ Formula 0W30

ACEA A3/B4  
API SL  
Meets the requirements of:  
Volvo VCC 95200356  
MB 229.3/229.5  
Renault RN0700/RN0710  
VW 502.00/505.00  
Part no: 06.58  
1L. €3,85; 4L. € 14,17; 5L. € 17,29  
20L. € 67,76; 60L. € 199,68; 208L. € 677,66



### GT Synth IQ Formula 0W30

ACEA A5/B5  
API SL  
Meets the requirements of  
Volvo VCC 95200377  
Part no: 06.82  
1L. €3,31; 4L. €12,01; 5L. € 14,59  
20L. € 56,96; 60L. € 167,28; 208L. € 565,34



### GT Synth IQ Formula 15W40

ACEA A3/B4  
API SL/CF  
Meets the requirements of: MB 229.1  
VW 501.01/505.00  
Part no: 05.01  
1L. € 2,26; 4L. € 7,84; 5L. € 9,37  
20L. € 36,08; 60L. € 104,64; 208L. € 348,19



### GT Synth IQ Formula 15W50

ACEA A3/B4  
API SL/CF  
MB 229.1  
VW 501.01/505.00  
Part no: 05.07



### GT Synth IQ Formula 20W50

ACEA A3/B4  
API SL/CF  
MB 229.1  
VW 501.01/505.00  
Part no: 05.12



### GT Synth IQ Formula 15W40

ACEA A3/B4  
API SL/CF  
MB 229.1  
VW 501.01/505.00  
Part no: 06.33



### GT Synth IQ Formula 10W40

ACEA A3/B4  
API SL/CF  
Meets the requirements of:  
MB 229.1  
VW 501.01/505.00  
Part no: 06.01



### GT Synth IQ Formula 10W40

ACEA C3  
Meets the requirements of  
Renault RN17  
Part no: 06.13



### RS Fully Racing Synthetic Cup Extreme Oil Ferrari 458 etc Oil 5W40

ACEA A3/B4  
API SN/CF  
Part no: 06.70





All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Passenger Cars Motor Oils



**RS Fully Racing Synthetic Cup  
Extreme Oil 0W30**  
ACEA A3/B4; API SH/CF  
API SN/CF \*)  
\*) API SN quality only; not-licensable  
due to phosphorus-limit  
Part no: 06.86



**RS Fully Racing Synthetic Cup Extreme Oil  
10W30**  
ACEA A3/B4; API SH/CF  
API SN/CF \*)  
\*) API SN quality only; not-licensable  
due to phosphorus-limit  
Part no: 06.69



**RS Fully Racing  
Synthetic Cup  
Extreme Oil 5W50**  
ACEA A3/B4  
API SN/CF  
Part no: 06.76



**Brake Fluid DOT 4**  
FMVSS 116  
DOT 4  
SAE J1703,  
ISO 4925  
Part no: 25.01



**Brake Fluid DOT 3**  
FMVSS 116  
DOT 3  
SAE J1703,  
ISO 4925  
Part no: 24.01



**RS Fully Racing Synthetic Cup Extreme  
Oil 10W60**  
ACEA A3/B4  
API SN/CF  
Part no: 06.71



**Brake Fluid DOT 5.1**  
FMVSS 116  
DOT 5.1  
SAE J1703,  
ISO 4925  
Part no: 26.01



**Brake Fluid DOT 4 RACING**  
FMVSS 116  
DOT 4  
SAE J1703,  
ISO 4925  
Part no: 25.02



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Heavy Goods Vehicles Motor Oils



### HD Super Synthturbo Fleet Oil 30 CF

ACEA E2  
API SG/CF  
MB 227.0/228.0  
MAN 270  
Part no: 07.03



### HD Super Synthturbo Fleet Oil 40 CF

ACEA E2  
API SG/CF  
MB 227.0/228.0  
MAN 270  
Part no: 07.04



### HD Super Synthturbo Fleet Oil 50

ACEA E2  
API SG/CF  
MB 227.0/228.0  
MAN 270  
Part no: 07.05



### LKW Max Power & Torque Ultra 20W-40

ACEA E7  
API CH-4/SJ  
Cummins CES 20076/20077  
MAN M 3275-1  
MB 228.1  
Part no: 09.07



### LKW Max Power & Torque Fleet Line LSP 15W-40

ACEA E7 API CH-4/SJ  
Meets the requirements of MAN M 3275-1  
MB 228.1; Cat ECF-1-a  
Cummins CES 20076/20077  
Deutz DQC III-10; MTU Type 2  
Volvo VDS-2  
Part no: 09.01



### HD Fleet Oil SG/CF 70

ACEA E2  
API SG/CF  
MB 227.0/228.0  
MAN 270  
Part no: 07.11



### Unifleet Ultra 10W30

ACEA E7; API CI-4/SH  
Cat ECF-1-a/ECF-2  
Cummins CES 20077/20078  
Deutz DQC III-10  
MAN M 3275-1  
MB 228.3; MTU Type 2  
Renault VI RLD-2  
Part no: 10.10



### LKW Max Power & Torque Ultra 15W-40

ACEA E7 API CI-4/SL  
MB-Approval 228.3  
Mack EO-N, Renault VI RLD-2  
Volvo VDS-3; Meets the requirements of; Cat ECF-1-a/ECF-2  
Cummins CES 20077/20078  
Detroit Diesel 93K215  
Deutz DQC III-10; Global DHD-1; JASO DH-1 Mack EO-M Plus  
MAN M 3275-1 MTU Type 2  
Part no: 10.01



### LKW Max Power & Torque Ultra 15W-40

ACEA E7 API CI-4/SL  
Cat ECF-1-a/ECF-2  
Cummins CES 20077/20078  
Detroit Diesel 93K215  
Deutz DQC III-10; Global DHD-1; JASO DH-1; Mack EO-N/EO-M Plus; MAN M 3275-1; MB 228.3  
MTU Type 2; Renault VI RLD-2  
Volvo VDS-3  
Part no: 10.12-B



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Heavy Goods Vehicles Motor Oils



**LKW Max Power & Torque Ultra 20W-50**  
 ACEA E7  
 API CI-4/SL  
 Cummins CES 20077/20078  
 Deutz DQC III-10  
 Global DHD-1  
 MB 228.3  
 Part no: 10.04



**LKW Max Power & Torque Ultra HS 10W-30**  
 ACEA A3/B4, E7  
 API CI-4/SH; Cat ECF-2  
 Cummins CES 20077/20078  
 Deutz DQC III-10; Global DHD-1; JASO DH-1;  
 MAN M 3275-1;  
 MB 228.3; MTU Type 2;  
 Renault VI RLD-2;  
 Part no: 10.30



**LKW Max Power & Torque Ultra HS 10W-40**  
 ACEA A3/B4, E7; API CI-4/SL  
 MB-Approval 228.3  
 Mack EO-N, Renault VI RLD-2  
 Volvo VDS-3  
 Meets the requirements of  
 Cat ECF-1-a/ECF-2; Cummins CES 20077/20078,  
 Detroit Diesel 93K215; Deutz DQC III-10; Global  
 DHD-1; JASO DH-1; MAN M 3275; MTU Type 2  
 Part no: 10.03



**LKW Max Power & Torque LSP +Plus 5W-30**  
 ACEA E6, E7, E9; API CJ-4/SN; Cat ECF-3;  
 Cummins CES 20081; Detroit Diesel  
 93K218; Deutz DQC IV-10 LA; JASO DH-  
 2; Mack EO-O PP/EO-N PP EO-M Plus;  
 MAN M 3677/M 3477/M 3271-1; MB  
 228.31/228.51; MTU Type 3.1; Renault  
 VI RLD-3; Scania Low Ash/LDF-4; Voith  
 Class B; Volvo VDS-4/VDS-3  
 Part no: 10.34



**LKW Max Power & Torque Fleet-force CI-4 15W-50**  
 ACEA A3/B4, E7  
 API CI-4/SL  
 MB 228.3  
 Part no: 09.09-B



**LKW Max Power & Torque Ultra HS 10W-40**  
 ACEA A3/B4, E7; API CI-4/SL  
 Cat ECF-1-a/ECF-2; Cummins CES 20077/20078;  
 Detroit Diesel 93K215; Deutz DQC III-10  
 Global DHD-1; JASO DH-1;  
 Mack EO-N; MAN M 3275;  
 MB 228.3; MTU Type 2;  
 Renault VI RLD-2;  
 Volvo VDS-3  
 Part no: 10.15



**LKW Max Power & Torque FDL 10W-40**  
 ACEA E4, E7 API CI-4;  
 Meets the requirements of MB 228.5;  
 Scania LDF-2;  
 MAN M 3277; Renault VI RLD-2; Volvo  
 VDS-3; Cummins CES 20077/20078;  
 Deutz DQC III-10; Global DHD-1  
 Mack EO-N, EO-M Plus  
 MTU Type 3  
 Part no: 10.05



**LKW Max Power & Torque NF 10W-40**  
 ACEA E4, E7; API CI-4;  
 MB-Approval 228.5;  
 MAN M 3377/M 3277;  
 Volvo VDS-3; Renault VI RLD-2;  
 Mack EO-N; Meets the requirements of  
 Renault VI RXD; MTU Type 3;  
 Deutz IV-10; Mack EO-M Plus;  
 Cummins CES 20078; Global DHD-1;  
 Detroit Diesel 93K215  
 Part no: 10.20



**LKW Max Power & Torque LSP 10W-40**  
 ACEA E6, E7; API CI-4;  
 Volvo VDS-3; Mack EO-N;  
 MB-Approval 228.51; NATO-code O-1180, TL  
 9150-0107/3; Renault VI RLD-2; Volvo VDS-3;  
 Meets the requirements of: Cat ECF-1;  
 Cummins CES 20076/20077; JASO DH-2;  
 MAN M 3477 / M 3271-1; MTU Type 3.1;  
 DAF Extended Drain; Iveco 18-1804 TLS E6;  
 Renault VI RXD / RGD  
 Part no: 10.13



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Heavy Goods Vehicles Motor Oils



**LKW Max Power & Torque LSP 10W-40**  
 ACEA E6, E7, E9; API CI-4; Cat ECF-1;  
 Cummins CES 20076/20077  
 DAF Extended Drain; Deutz DQC IV-18  
 LA; Iveco 18-1804 TLS E6; JASO DH-2  
 Mack EO-N; MAN M 3477 / M 3271-1;  
 MB 228.51; MTU Type 3.1; Renault VI  
 RLD-2/RXD/RGD; Volvo VDS-3  
 Part no: 10.22



**LKW Max Power & Torque LSP +Plus 10W-40**  
 ACEA E6, E7, E9; API CJ-4;  
 Deutz DQC IV-10 LA; Mack EO-O Premium Plus;  
 MAN M 3477/M 3271-1;  
 MB-Approval 228.31/228.51;  
 Scania Low Ash; Volvo VDS-4, Renault VI RLD-3;  
 Meets the requirements of:  
 Cat ECF-3; Cummins CES 20081;  
 Detroit Diesel 93K218;  
 JASO DH-2; MTU Type 3.1  
 Part no: 10.31



**LKW Max Power & Torque FDL3 10W-40**  
 ACEA E4, E7; API CF;  
 MAN M 3277; MB-Approval 228.5;  
 Scania LDF-3; Mack EO-N;  
 Renault VI RLD-2; Volvo VDS-3  
 Meets the requirements of  
 Deutz DQC III-10; MTU Type 3  
 Scania LDF-2; DAF Extended Drain  
 Part no: 10.25



**LKW Max Power & Torque Fleet Line LSP 15W-40**  
 ACEA E9; API CK-4/SN;  
 Mack EOS-4.5; Renault VI RLD-3;  
 Volvo VDS-4.5;  
 Meets the requirements of: Cat  
 ECF-3; Cummins CES 20086; Detroit  
 Diesel 93K222; Deutz DQC III-18 LA;  
 Ford WSS M2C171-F1;  
 MAN M 3775; MB 228.31;  
 MTU Type 2.1  
 Part no: 10.11



**LKW Max Power & Torque Fleet Line LSP 10W-30**  
 ACEA E9; API CK-4; Mack EOS-4.5;  
 Renault VI RLD-3;  
 Volvo VDS-4.5; Meets the require-  
 ments of: Cat ECF-3;  
 Cummins CES 20086; Detroit Diesel  
 93K222; Deutz DQC III-18 LA; Ford WSS  
 M2C171-F1; MAN M 3775; MB 228.31;  
 MTU Type 2.1  
 Part no: 10.33



**LKW Max Power & Torque Fleet Line LSP 5W-40**  
 ACEA E7, E9; API CJ-4/SM;  
 Mack EO-O Premium Plus;  
 MAN M 3575; Renault VI RLD-3;  
 Volvo VDS-4; Meets the requirements of;  
 Cat ECF-2/ECF-3;  
 Cummins CES 20081; Detroit Diesel  
 93K218/93K215/93K214;  
 MB 228.31  
 Part no: 10.27



**LKW Max Power & Torque LSP 10W-40**  
 ACEA E6, E7, E9; API CK-4/SN;  
 Deutz DQC IV-10 LA; Mack EOS-4.5;  
 MAN M 3477; MB-Approval 228.51;  
 Renault VI RLD-3; Volvo VDS-4.5  
 Meets the requirements of  
 Cat ECF-3; Cummins CES 20086;  
 Detroit Diesel 93K218/93K222;  
 JASO DH-2; MTU Type 3.1;  
 Part no: 10.38



**LKW Max Power & Torque Ultra 5W-30**  
 API FA-4/SN  
 MB-Approval 228.61  
 Meets the requirements of: Cummins  
 CES 20087  
 Detroit Diesel DFS 93K223; JASO DH-2  
 Part no: 10.08



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Heavy Goods Vehicles Motor Oils



### LKW Max Power & Torque Ultra 15W-40

ACEA E7; API CH-4/SJ;  
Cat ECF-1-a;  
Cummins CES 20076/20077;  
Deutz DQC III-10;  
MAN M 3275-1; MB 228.1;  
MTU Type 2; Volvo VDS-2  
Part no: 09.04



### LKW Max Power & Torque SJ 15W40

ACEA A2, B2, E2;  
API CG-4/SJ;  
Mack EO-L Plus;  
MAN 271;  
MB 228.1;  
Volvo VDS  
Part no: 08.07



### LKW Max Power & Torque LSP 10W-30

ACEA E7, E9; API CK-4; Mack EOS-4.5; Renault VI RLD-3; Volvo VDS-4.5;  
Meets the requirements of Cat ECF-3; Cummins CES 20086; Detroit Diesel 93K222; Deutz DQCIII-10 LA; Ford WSS-M2C171-F1; MB 228.31; MTU Type 2.1  
Part no: 10.32



### LKW Max Power & Torque 5W30

ACEA E6, E7, E9; API CK-4/SN; Deutz DQC IV-18 LA; Mack EOS-4.5; MB-Approval 228.51; Renault VI RLD-3; Volvo VDS-4.5  
Meets the requirements of: Cat ECF-3; Cummins CES 20086; Detroit Diesel DFS 93K222; Ford WSS-M2C213-A; JASO DH-2; MAN M 3775; MB 228.31 / 228.52; MTU Type 3.1; Scania Low Ash; DAF Extended Drain, Iveco 18-1804 TLS E9  
Part no: 10.07



### LKW Max Power & Torque Truck Racing & Track 15W-60

ACEA E6, E7, E9  
API CJ-4  
Part no: 10.26



## 2&4 Stroke Small Engine Motor Oils



**4T Motorcycle FS 20W50**  
API SL  
JASO MA2  
JASO MA  
Part no.12.06



**4T Super 10W40**  
API SL  
JASO MA2  
JASO MA  
Part no.12.27



**4T Super 20W50**  
API SL  
JASO MA2  
JASO MA  
Part no.12.29



**4T Motorcycle HS 15W50**  
API SL  
JASO MA2  
JASO MA  
Part no.12.03



**4T Motorcycle HS 10W40**  
API SL  
JASO MA2  
JASO MA  
Part no.12.01



**4T Super 25W50**  
API SG  
JASO MA  
Part no. 12.30



**4T Motorcycle HS 20W50**  
API SL  
JASO MA2  
JASO MA  
Part no. 12.02



**4T Motorcycle Synthetic 10W40**  
API SL  
JASO MA2  
JASO MA  
Part no.12.19



**4T Motorcycle Synthetic 5W50**  
API SL  
JASO MA2  
JASO MA  
Part no.12.14



# CARBO OIL®

When only the best will do

www.carbooil.de GERMANY

ON TRACK, ON THE ROAD, IN YOUR BIKE. [www.carbooil.de](http://www.carbooil.de)

## 2&4 Stroke Small Engine Motor Oils



### 4T Motorcycle Synthetic 5W40

API SJ  
JASO MA2  
JASO MA  
Part no.12.16



### 4T Motorcycle Synthetic 10W60

API SJ  
JASO MA2  
JASO MA  
Part no.12.21



### 4T Motorcycle Synthetic 15W50

API SL  
JASO MA2  
JASO MA  
Part no.12.23



### 4T Motorcycle FS 10W40

API SL  
JASO MA2  
JASO MA  
Part no.12.04



### 4T Motorcycle FS 5W50

API SL  
JASO MA2  
JASO MA  
Part no. 12.09



### 4T Motorcycle FS 5W40

API SL  
JASO MA2  
JASO MA  
Part no.12.15



### 4T Motorcycle FS 15W50

API SL  
JASO MA2  
JASO MA  
Part no.12.05



### 4T Motorcycle FS 20W50

API SL  
JASO MA2  
JASO MA  
Part no.12.06



### 4T Motorcycle FSES 5W50

API SL  
JASO MA2  
JASO MA  
Part no.12.24



## 2&4 Stroke Small Engine Motor Oils



### 4T Motorcycle FS ES 20W50

API SL  
JASO MA2  
JASO MA  
Part no.12.25



### 4T HD FS 20W50

API SL  
JASO MA2  
JASO MA  
Part no.12.07



### 4T Racing Polar 5W40

API SL  
JASO MA2  
Part no.12.28



### Two Stroke Jaso

API TC; JASO FC  
ISO-L-EGC  
TISI  
Part no.13.05



### FS 2T Air Cooled

API TC; JASO FD; ISO-L-EGD;  
Husqvarna; Piaggio Hexagon  
Part no.13.03



### Two Stroke Ashless

NMMA TC-W3  
Part no.14.01



### Two Stroke HS (Low Smoke)

API TC; JASO FD  
Global GD  
Husqvarna 272  
ISO-L-EGD  
2-Stroke DFI  
Part no.13.02



### FS 2T Air Cooled Low Viscosity

API TC+  
JASO FD (Low Smoke)  
Husqvarna 226/Chainsaw  
ISO-L-EGD  
Piaggio Hexagon; TISI  
Part no. 13.13



### Two Stroke ZTT

API TC  
Part no.13.01



# CARBO OIL®

When only the best will do

www.carbooil.de **GERMANY**

ON TRACK, ON THE ROAD, IN YOUR BIKE. [www.carbooil.de](http://www.carbooil.de)

## 2&4 Stroke Small Engine Motor Oils



### Mineral Budget Two Stroke

API TC

Part no.13.06



### FS 2T Racing

API TC; JASO FD;  
ISO-L-EGD; Husqvarna;  
ISO-L-EGD  
Piaggio; Hexagon  
Part no.13.12





## TRANSMISSION FLUIDS



**Gear Oil 80**  
API GL-1  
Part no. 15.01



**Gear Oil 90**  
API GL-1  
Part no. 15.02



**Gear Oil 140**  
API GL-1  
Part no. 15.03



**MP Gear Oil 140**  
API GL-4  
MIL-L-2105  
Part no. 16.08



**MP Gear Oil 90**  
API GL-4; MIL-L-2105  
MB 235.1  
ZF TE-ML 16A/17A/19A  
Part no. 16.07



**MP Gear Oil 80**  
API GL-4; MIL-L-2105  
Meets the requirements of  
MAN 341 Typ Z2/E1  
MB 235.1; ZF TE-ML 17A  
Part no. 16.01



**Export Gear Oil 80W90 GL-4**  
API GL-4  
Part no. 16.10



**Export Gear Oil 80W90 GL-5**  
API GL-5  
Part no. 16.11



**Super Gear Oil 90**  
API GL-5, MIL-L-2105D  
Meets the requirements of  
MB 235.0, ZF TE-ML 07A/16B/17B/19B/21A  
MAN 342 Typ M1  
Part no. 17.05



## TRANSMISSION FLUIDS



### Super Gear Oil 85W90

API GL-5; MIL-L-2105D  
Meets the requirements of MB 235.0; ZF TE-ML 07A/16B/17B/19B/21A  
MAN 342 Typ M1  
Part no. 17.09



### Semi Synthetic 75W90 GL-5

API GL-5  
MIL-L-2105D  
ZF TE-ML 07A/17B  
Part no. 17.17



### HD Gear Oil HS 75W90

API GL-4/5  
MIL-L-2105  
VW 501.50  
Part no. 18.01



### UTTO WB HT

API GL-4+  
MIL-L-2105  
PSA B71 2330  
Part no. 18.03



### UTTO WB HT

API GL-4; Allison C4  
Case MS1207/MS1209  
Cat TO-2; John Deere J20A  
Massey Ferguson  
M1141/M1143/M1145  
Volvo WB 102  
ZF TE-ML 03E/06K  
Part no. 23.07



### LD Gear Oil HS 75W140

API GL-4/GL-5/MT-1; MIL-L-2105D/MIL-PRF-2105E;  
SAE J2360; Scania STO 1:0  
ZF TE-ML 05A/07A/  
12B/12N/16F/19C/ 21A  
Part no. 18.13



### Uni Gear 75W80 LD

API GL-4/GL-5/MT-1  
MIL-L-2105D/MIL-PRF-2105E, SAEJ2360  
ZF TE-ML 02B/17B  
Part no. 18.12



### Uni Gear 75W90 HS

API GL-4/5  
MIL-L-2105  
VW 501.50  
Part no. 18.01



### Uni Gear 75W80

API GL-4; MAN 341 Typ Z4  
ZF TE-ML 01L/02L/16K  
Meets the requirements of  
DAF Eaton Europe (extended drain); Iveco;  
Renault; Volvo 97307  
ZF TE-ML 08/13  
Part no. 18.01



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## TRANSMISSION FLUIDS



### ATF VI

Aisin Warner JWS 3309(T-IV)/3324(WS)/AW-1; Allison C3/C4, BMW 7045E/8072B/LA2634/Mini C T-IV; Cat TO-2, Chrysler Dodge Mopar AS68RC/69RC (T-IV); Chrysler ATF+/-2/+3/+4, Fiat Type IV; Daihatsu ATF D-II/D-III SP; Ford Mercon LV/Mercon/M2C138-CJ/166-H/922-A1/924-A; GM Dexron VI/II/III/IV/IIIG/IIH, TASA; Honda Acura DW-1/ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III/SP-IV/SP-IV M/SP-IV RR; Hyundai/Kia JWS 3314/9683, Isuzu ATF II/III/SP; Jaguar ATF 3403 M115/JLM 20238/20292; JASO M315-2013 1A/1A-LV/2A; Mazda ATF DII/M-III/M-V/FZ/F-1/S-1/N-1/3317; MB 236.1/2/3/236.5/236.7/236.8/236.9/236.41; Mitsubishi SK/SP-II/SP-III/SP-IV/AW/J2/J3/ATF PA; Nissan Matic C/D/J/K/S, Porsche ATF 3403-M115/T-IV; Subaru ATF ATF/AW-1/5AT/ATF HP; Suzuki ATF 3309/3314/3317/2326/2384K; Toyota D-II/D-III/T-III/T-IV/WS; VAG G-052-025/052-055/052-162/052-990; VAG G-053-025/055-025/055-162/055-540/060-162; Voith 55.6335.xx (G607), Volvo 97335/97340/1161540; ZF 5HP 18FL/19FL/24A/30/4HP20, ML 05L/09/11A/B/21L  
Part no. 21.12



### ATF 289

Allison C4; Cat TO-2  
Ford Mercon/M2C138-CJ/166-H  
GM Dexron IID  
MAN 339 Typ Z1/V1  
MB 236.6/236.7  
Voith 55.6335 (G607)  
ZF TE-ML 09/11A/14A  
Part no. 21.01



### ATF 7G

Allison C4/TE5-389; Chrysler ATF+/-2/+3/+4; Ford Mercon V/Mercon/WSS-M2C922-A1  
GM Dexron II/IIID/IIIE/IIIG/IIIH; Honda ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III  
Isuzu ATF II/III; Jaguar JLM 20238/20292/21044; JASO M315 Type 1A  
Mazda M-III/Type T-IV, JWS 3309; MB 236.3/236.5/236.6/236.7/236.8  
MB 236.9/236.10/236.11/236.91; Mitsubishi SP-II/SP-III/ATF J-2; Nissan Matic D/J/K/W  
Subaru ATF HP, Suzuki ATF 3314/3317; Toyota Type DII/T/T-III/T-IV  
VAG G-052-025/052-055/052-162/052-990/055-025  
Volvo 1161540, ZF TE-ML 11A/11B  
Part no. 21.20



### ATF DMM

Allison C4/TE5-389; Cat TO-2  
Ford Mercon/M2C138-CJ/166-H  
GM Dexron IID/IIIE/IIIF/IIIG/IIIH  
MAN 339 Typ Z1/V1  
MB 236.1/236.5/236.6/236.7/236.9  
Voith 55.6335 (G607); Volvo 97341  
ZF TE-ML 02F/03D/04D/09A/09B/11A/11B/14A/17C  
Part no. 21.02



### ATF JP

Aisin Warner JWS 3309/3324; Allison C4/TE5-228; BMW 7045E/8072B; Chrysler ATF+3/ATF+4; Ford Mercon/M2C 138CJ/166H/922-A1/924-A; GM Dexron IID/IIIE/IIIG/IIIH, TASA; Honda ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III; Isuzu Besco ATF II/III; JASO M 315-2013 Type 1A; Mazda ATF M-V; MB 236.1/236.6/236.7/236.8/236.9/236.10; Nissan Matic Fluid C/D/J/K; Subaru ATF/ATF 5AT/ATF HP/Dexron II; Suzuki ATF 3314; Toyota ATF T-III/T-IV/D-II/WS; VAG G-055-025; Volvo 1161540; ZF TE-ML 09/11A/11B  
Part no. 21.09



### ATF 8G

BMW 8322 2152426/2289720(ATF3+)  
Chrysler 68157995AA  
Fiat 9.55550-AV5  
Jaguar 02JDE 26444  
Land Rover LR023288  
VAG G-060-162  
Part no. 21.03



## TRANSMISSION FLUIDS



### ATF 9G

MB 236.17  
Part no. 21.06



### ATF 15 LVB

MB 236.15  
Part no. 21.04



### ATF Long Life

Allison C4/TE5-389; Cat TO-2; Ford Mercon/  
M2C138-CJ/166-H; GM Dexron IID/IIIE/IIIF/IIIG/  
IIIH; MAN 339 Typ Z1/V1/Typ Z2/V2;  
MB 236.1/236.5/236.6/236.7/236.9/236.10; Voith  
55.6335/55.6336  
Volvo 97340/97341; ZF TE-ML 02F/03D/  
04D/09/11A/11B/14A/14B/16L/17C  
Part no. 21.18



### MULTI Double Clutch Transmission Fluid

BMW DCTF-1 / DCTF-1+ / LT-5; BorgWarner;  
Bugatti Veyron; Chrysler 68044345 EA & GA;  
Ferrari TF DCT-F3; Ford WSS-M2C936-A / WSS-M2C218-A1;  
Hyundai/Kia; MB 236.21 / 236.25; Mitsubishi Dia-Queen SSTF-1;  
Porsche/ZF FFL-3; PSA 9734 S2; Renault EDC;  
Volvo 1161838 / 1161839; VW G 052 182 / G 052 529 / G 055 529;  
VW G 052 536 / G 055 536

Part no. 33.03



### MULTI CVT Fluid

Chrysler/Dodge/Jeep NS-2/Mopar CVTF+4; Daihatsu Amix CVTF DC/DFC/DFE  
Honda HMMF(without starting clutch)/HCF2; Hyundai/Kia CVT-J1/SP III (CVT model)  
Mazda JWS 3320, GM DEX-CVT; MB 236.20, Ford WSS-M2C928-A  
Mitsubishi SP-III (only in CVT)/CVTF-J1/J4/J4+; Mini Cooper E2L799/799A  
Subaru ECVT/iCVT/iCVT FG/NS-2; Subaru Lineartronic High Torque (HT) CVTF  
Subaru Lineartronic chain CVTF/CVTF II; Suzuki CVTF TC/3320/NS-2/Green 1/Green 2/  
Green 1V; Toyota CVTF TC/FE, Nissan NS-1/NS-2/NS-3; VW G-052-180/G-052-516

Part no. 33.02



### Hydraulic Transmission Fluid 540

Aisin Warner JWS 3324 (WS) / AW-1; Allison C4, Chrysler ATF+3;  
BMW ATF 3 / 3+ / M-1375-4, Fiat 9.55550-AV2 / AV5; Ford Mercon LV / SP;  
GM Dexron VI / II / IID / IIE / IIIG / IIH; Honda DW-1 / Z-1 (except in CVT);  
Hyundai/Kia NWS-9638 / SP-II/SP-III/SP-IV/SPH-IV; Mazda M-III / T-IV / FZ / FW  
6A EL / FW 6AX EL; MB 236.3 / 236.5 / 236.6 / 236.7 / 236.8 / 236.9;  
MB 236.12 / 236.14 / 236.41; Mitsubishi SP-II/SP-III / ATF J-2/J-3 / ATF-PA;  
Nissan Matic-D / J / K / S; Subaru ATF HP, Suzuki ATF 3314/3317;  
Toyota/Lexus D-II / T-III / T-IV / WS / FZ; Volvo 1161540; VW G 055 025 / G 052  
162 / G 052 990; VW G 052 533 / G 055 005 / G 055 540 / G 060 162; ZF TE-ML  
11A / 11B. Part no. 21.21



### Hydraulic Transmission Fluid 540

API GL-4; Allison C4; Cat TO-2; Case MS 1210  
CNH MAT 3540/3525; FNHA-2-C-200.00/201.00  
Ford M2C86-C/M2C134-D; John Deere J20C/D  
Massey Ferguson M1141/M1143/M1145  
Valtra G2-08; Volvo WB 101  
ZF TE-ML 03E/05F/06K/17E/21F  
Part no. 23.10



All prices are in Euros Ex Works 53534 Wiesemscheid, Germany

## Marine Series Engine Oils

OUTBOARD RANGE



### 4T Marine Outboard 10W30

NMMA FC-W  
Part no. 14.02



### 4T Marine Outboard 10W40

NMMA FC-W  
Part no. 14.04



### 4T Marine Outboard 25W40

NMMA FC-W  
Part no. 14.03



### HD Skipper Marine Xtra 1240

API SF/CC; CCMC G2/D1  
MIL-L-46152B/C  
Ford M2C153-C (SF/CC)  
Ford M2C9011-A  
GM 6085M  
Part no. 03.02



### HD Skipper Marine HMS-1200 - 15W40

API SF/CC; CCMC G2/D1  
MIL-L-46152B/C  
Ford M2C153-C (SF/CC)  
Ford M2C9011-A  
GM 6085M  
Part no. 03.03



### HD Skipper Marine 1630

API SF/CC  
CCMC G2/D1  
Part no. 04.01



### HD Skipper Marine 1230

API SF/CC; CCMC G2/D1  
MIL-L-46152B/C  
Ford M2C153-C (SF/CC)  
Ford M2C9011-A  
GM 6085M  
Part no. 03.01



### HD Skipper Marine 840

AFNOR NF E  
48-603 HV;  
ASTM D 6158 HV;  
DIN 51524-3 HVLP;  
ISO 11158 HV  
Part no. 02.02



### HD Skipper Marine 830

ACEA A3/B4; API SN/CF  
BMW Longlife-01  
MB 229.3/226.5  
Porsche A40  
Renault RN0700/RN0710  
VW 502.00/505.00  
Part no. 02.01

SKIPPER RANGE



## Marine Series Engine Oils

SKIPPER RANGE



### HD Skipper Marine 2540

API SF/CC  
CCMC G2/D1  
Part no. 04.05



### HD Skipper Marine 2040

API SF/CC  
CCMC G2/D1  
Part no. 04.04



### HD Skipper Marine 1640

API SF/CC  
CCMC G2/D1  
Part no. 04.02



### Fleet DD 40

API CF/CF-2/SF  
Allison C4  
Part no. 07.07



### HD Captain Marine 4040

ACEA A3/B4  
API SL/CF  
Meets the requirements of:  
MB 229.1; VW 501.01/505.00  
Part no. 06.01



### HD Captain Marine 4050

ACEA A3/B3, A3/B4-08  
API SL/CF  
MB 229.1  
VW 501.01/505.0  
Part no. 06.02



### HD Captain Marine 3030

ACEA A3/B4; API SL/CF  
Meets the requirements of: MB 229.1;  
VW 501.01/505.00  
Part no. 05.01



### HD Captain Marine 3030

API SG/CD  
CCMC G4  
Part no. 05.02

CAPTAIN RANGE